. 10/664154 EAST Search History

AM
,
6-25-06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1 L2	759824 45114	elastic 11 with holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR OR	ON	2006/06/25 11:15
L3	161242	tire.ab,ti.	US_PGPUB; USPAT; EPO; JPO; DERWENT; -IBM_TDB	OR	ON	2006/06/25 11:16
L4	341	12 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:19
L6	94	12 with cushioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:19
L7	2	13 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:20
L8	35716	"152"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:20
L9	1797	cushioning with holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:20
L10	5	18 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:21

L11	160	cushioning with perforations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:21
L12	4	l11 and tire	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:22
L13	2442824	holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:22
L14	1900	I8 and I13	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:22
L15	219914	holes with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:23
L16	129	I8 and 115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ΘR	ON	2006/06/25 11:26
L17	10094	cushion near4 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:26
L18	476	l17 and tire.ti.	US PGPUB; USPAT; EPG/JPO; DERWENT; IBM_TDB	OR	ON	-2006/06/25 11:27
L19	74	152/331.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:27
L21	4514	428/132-140.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:32

6/25/2006 11:59:51 AM

L22	66162	cushioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:32
L23	119	I21 and I22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:35
L24	6178	(foam and holes).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:36
L25	31080	cushioning.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:36
L26	133	124 and 125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:37
L27	631847	holes.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:37
L28	460485	elastic.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:38
L29	19444	127 and I28	US-PGPUB; USPAT; EPO: JPO; DERWENT; IBM_TDB	OR	OFF	.2006/06/25 11:38
L30	259949	impact.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:39
L31	407	l29 and l30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:39

L32	181954	chook oh ti	LIC DCDLID	0.0	OFF	2004/04/27 44 00
L32	101954	shock.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:39
L33	145	124 and 132	US-PGPUB;	OR	OFF	2006/06/25 11:45
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L34	1993	36/43-44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:46
L35	209	134 and holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:48
L36	6999	insole.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:48
L37	26	124 and 136	US-PGPUB;	OR	OFF	2006/06/25 11:49
			USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
L38	11726	perforating.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/25 11:49
L39	5	l36 and l38	US-PGPUB;	OR	OFF	2006/06/25 11:49
			USPAT; EPO; JPO; DERWENT;			
			IBM_TDB			
L40	105	l32 and l38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:51
L41	2302	/I25 and I32	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:52

L42	259	l41 and foam.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:53
L43	1368	428/316.6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:53
L44	250	I43 and holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:54
L45	10651	428/304.4-319.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/06/25 11:54
L46	673	l45 and cushioning	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:55
L47	663	I45 and shock	US-PGPUB; USPAT; EPO: JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:55
L48	137	l46 and l47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:56
L49	11254	holes with foam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:56
L50	77	l49 with impact	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:57
L51	74	l49 with cushioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 11:59

6/25/2006 11:59:51 AM

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15476	(holes with rubber).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:02
L2	31105	cushioning.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:02
L3	89	I1 and I2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:03
L4	743	l1 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:03
L5	107964	(holes with layer).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÓŘ	ON.	2006/06/25 12:04
L6	44355	(holes with sheet).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:04
L7	147493	15 or 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ΘR	ON	2006/06/25 12:04
L8	468	I7 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:05
L9	3074	l7 and elastic ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:05

6/25/2006 1:05:50 PM Page 1

L10	513	10 and without ab #:	LIC DCDUD	00	011	2006/06/25 12 25
	513	I9 and rubber.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:05
L11	28	I10 and tire	US-PGPUB;	OR	ON:	2006/06/25 12:07
			USPAT; ∞EPO; JPO;			
*			DERWENT;		1.	
L12	4694	holes near4 foam	IBM_TDB			
LIZ	4054	noies near4 toam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:07
L13	271	l12 and cushioning	US-PGPUB;	OR	ON	2006/06/25 12:07
			USPAT; EPO; JPO;			
			DERWENT;			
1.15	1714		IBM_TDB			
L15	1714	improve with cushioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:09
L16	41	I15 with holes	US-PGPUB;	OR	ON	2006/06/25 12:11
i,	*		USPAT; EPO; JPO;			
			DERWENT;			
			IBM_TDB			
L17	14796	264/41-55.ccls.	US-PGPUB; USPAT;	OR	ON	2006/06/25 12:11
			EPO; JPO; DERWENT;			
			IBM_TDB			
L18	1613	264/154-156.ccls.	US-PGPUB;	OR	ON	2006/06/25 12:12
8			USPAT; EPO; JPO;			
			DERWENT;			
140			IBM_TDB			
L19	118	I17 and I18	US-PGPUB; USPAT;	OR	ON	2006/06/25 12:14
			EPO; JPO;			
-			DERWENT; IBM_TDB			
L20	575	264/156.ccls.	US-PGPUB;	OR	ON.	2006/06/25 12:16
	* *		USPAT;			
	* .		EPO; JPO; DERWENT;			
<u>.</u>			IBM_TDB			

L21	44280	cushion\$.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/06/25 12:16
			IBM_TDB			
L22	305	17 and 121	US-PGPUB;	OR	ON	2006/06/25 12:19
-			USPAT; EPO; JPO;			
- *			DERWENT; IBM_TDB			
L23	464	patch with perforation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:20
L24	6	I23 and tire	US-PGPUB;	OR	ON	2006/06/25 12:20
			USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
L25	201	152/367.ccls.	US-PGPUB;	OR	ON	2006/06/25 12:23
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L26	2123	holes near4 shock	US-PGPUB;	OR	ON	2006/06/25 12:23
			USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
L27	66	l26 with rubber	US-PGPUB;	OR	ON	2006/06/25 12:24
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L28	11617	improve with shock	US-PGPUB;	OR	ON	2006/06/25 12:24
			USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
L29	11	l28 with perforat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:26
L30	35716	"152"/\$.ccls.	US-PGPUB;	OR	ON.	2006/06/25 12:27
	·		USPAT; EPO; JPO;	,		
0			DERWENT; IBM_TDB			

				ı		
L31	717	I30 and shock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:27
L32	97392	shock adj1 absorb\$	US-PGPUB;	OR	ON	2006/06/25 12:27
			USPAT; EPO; JPO;			
		*	DERWENT;		i and	
	200	130 and 133	IBM_TDB	00		2006/06/25 40 00
L33	296	130 and 132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:28
L34	121	152/326.ccls.	US-PGPUB;	OR	ON	2006/06/25 12:32
			USPAT; EPO; JPO;			*
			DERWENT;			
			IBM_TDB		. :.	
L35	4316	insole.ti.	US-PGPUB; USPAT;	OR	ON	2006/06/25 12:32
			EPO; JPO;			
			DERWENT; IBM_TDB			
L36	432	I35 and holes	US-PGPUB;	OR	ON	2006/06/25 12:32
			USPAT; EPO; JPO;			
			DERWENT;			
			IBM_TDB	T .		
L37	89	I36 and foam	US-PGPUB; USPAT;	OR	ON	2006/06/25 12:34
			EPO; JPO;			
			DERWENT; IBM_TDB			
L38	43189	shock adj1 absorbing		OR	ON	2006/06/25 12:35
			USPAT; EPO; JPO;			
			DERWENT;			
			IBM_TDB			
L39	1536	138 with holes	US-PGPUB; USPAT;	OR	ON	2006/06/25 12:35
			EPO; JPO;			
			DERWENT; IBM_TDB			
L40	85	l39 with layer	US-PGPUB;	OR	ON	2006/06/25 12:36
			USPAT;			
· .			EPO; JPO; DERWENT;			
			IBM_TDB		1	

L41	10831	(shock adj1 absorbing).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:36
L42	1297	l41 and holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ΟÑ	2006/06/25 12:36
L43	31420	holes with rubber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:36
L44	75	l41 and l43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:38
L45	41	l39 with compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:40
L46	5628	elasticity with holes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:40
L47	47	l46 and tire.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:44
L48	11254	foam with holes	US-PGPUB; USPAT; EPO: JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:45
L49	4153	foam with perforat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:45
L50	14826	l48 or l49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:46

L51	267	I50 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:47
L52	.51	I50 and tire ab, ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 12:48
L53	198	152/319-322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 13:05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1 L2	588 27600	(tire and patch).ab,ti.	US-PGPUB; USPAT; EPO; JPO; *DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR OR	ON ON	2006/06/25 13:10
L3	1621240	sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 13:11
L4	353840	antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 13:11
L5	179620	tag	US-PGPUB; USPAT; EPO: JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 13:11
L6	2078533	12 or 13 or 14 or 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 13:11
L7	115	l1-and l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	.2006/06/25.13:21

6/25/2006 1:21:57 PM Page 1